



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re PATENT APPLICATION of

NAGAO, et al.

Group Art Unit: 1774

Appln. No.: 09/512,276

Examiner: Unassigned

Filed: February 24, 2000

For: GLASS BASE MATERIAL PACKING METHOD

1774
4/11
RECEIVE
MAR 26 2001
TC 1700

* * * *

INFORMATION DISCLOSURE STATEMENT

Hon. Commissioner of Patents
and Trademarks
Washington, D.C. 20231

Dear Sir:

I hereby certify that each enclosed document listed on the herewith Form PTO-1449 was cited in the attached European Search Report, dated January 30, 2001, issued in a foreign counterpart application not more than three months ago. See that Report for the degree of relevancy (category) of each document and for the particular passages cited therefor.

This Information Disclosure Statement is being filed within 3 months of the filing date of this application.

This Information Disclosure Statement is intended to be in full compliance with the rules, but should the Examiner find any part of its required content to have been omitted, prompt notice to that effect is earnestly solicited, along with additional time under Rule 97(f), to enable Applicant to comply fully.

Consideration of the foregoing and enclosures plus the return of a copy of the enclosed form PTO-1449 with the Examiner's initials in the left column per MPEP 609 are earnestly solicited along with an early action on the merits.

03/22/2001 NPRASASO 00000076 033975 09512276


01 FC:126

180.00 CH

Contingent Request Under Rule 97(c): Should a first action on the merits have been issued on the same day or before this IDS is filed, please accept this IDS under Rule 97(c) and charge the requisite Rule 17(p) fee to our Deposit Account No. 03-3975 under Order No. 7874/266298 and proceed to consider this IDS.

Respectfully submitted,

PILLSBURY WINTHROP LLP

By: 

Kendrew H. Colton

Reg. No. 30368

Tel. No.: (202) 861-3606

Fax No.: (202) 861-0944

KHC:amp

1100 New York Avenue, N.W.
Ninth Floor East Tower
Washington, D.C. 20005-3918
Tel: (202) 861-3000